

LBB 3537/00

Microphone with Control Panel

- Uni-directional microphone on adjustable stem
- Built-in pop- and windshield
- On/off switch and LED status indicators

The LBB 3537/00 is a uni-directional, condenser microphone, mounted on a flush-mounted control panel by means of a flexible stem. The microphone has a built-in pop- and windshield, as well as a light ring indicator which illuminates when the microphone is on. The control panel can be connected to Multi-Purpose Connection Unit LBB 3540/15, or to one input of the Dual Audio Interface Unit LBB 3535/00.



Controls and indicators

- Condenser microphone with built-in pop- and windshield, complete with a light ring which illuminates when the microphone is on
- Microphone on/off or request-to-speak button
- 'Microphone on' indicator (red LED)
- 'Request-to-speak' confirmation indicator (green LED)

Interconnection

- 2 m (78.74 in) cable terminated with 8-pole 262° DIN-type plug

Technical data

Mounting click-to-fit in a 2 mm (0.078 in) thick metal panel (secured using 2 screws)

Dimensions (H x W) front panel 40 x 120 mm (1.57 x 4.72 in) (built-in depth 30 mm (1.18 in)). Microphone stem length 310 mm (12.20 in)

Weight approx. 200 g (0.44 lb)

Colour charcoal (PH 10736)